



APPROVAL OF WELDING CONSUMABLES CERTIFICATE
No. QBI355811PU/004



This is to certify that the following product, in view of the tests carried out, has been approved.

<i>Description</i>	Flux-cored wire/gas combination
<i>Type</i>	K-308LT/M 21
<i>Class</i>	308L S
<i>Manufacturer</i>	KISWEL INC.
<i>Place of manufacture</i>	7950 DIXIE HIGHWAY FLORENCE KY 41042 U.S.A.
<i>Reference standards</i>	Part D, Chapter 5, Section 2 of RINA Rules for the classification of ships

The approval is valid for one year and can be reconfirmed subject to the satisfactory outcome of the prescribed control tests.

Issued in **Genoa** on **March 2, 2012**. *This Certificate is valid until* **December 31, 2012**



RINA
Cesare Murgia

This certificate consists of this page and 1 enclosure

Strongweld®

Ultimate Welding Performance

APPROVAL OF WELDING CONSUMABLES CERTIFICATE

No. **QBI355811PU/004**

Enclosure - Page 1 of 1

K-308LT/M 21

KISWEL INC.

7950 DIXIE HIGHWAY - FLORENCE KY
41042 - U.S.A.

Class

308L S

Diameters

1.2-1.4-1.6

mm

Welding positions

all positions including vertical
in downward direction

Type of current

direct current reverse polarity

Genoa March 2, 2012





APPROVAL OF WELDING CONSUMABLES CERTIFICATE

No. QBI355811PU/003

This is to certify that the following product, in view of the tests carried out, has been approved.

<i>Description</i>	Flux-cored wire/gas combination
<i>Type</i>	K-308LT/C1
<i>Class</i>	308L S
<i>Manufacturer</i>	KISWEL INC.
<i>Place of manufacture</i>	7950 DIXIE HIGHWAY FLORENCE KY 41042 U.S.A.
<i>Reference standards</i>	Part D, Chapter 5, Section 2 of RINA Rules for the classification of ships

The approval is valid for one year and can be reconfirmed subject to the satisfactory outcome of the prescribed control tests.

Issued in **Genoa** on **March 2, 2012**. *This Certificate is valid until* **December 31, 2012**



RINA
Cesare Murgia

This certificate consists of this page and 1 enclosure

APPROVAL OF WELDING CONSUMABLES CERTIFICATE

No. **QBI355811PU/003**

Enclosure - Page 1 of 1

K-308LT/C1

KISWEL INC.	7950 DIXIE HIGHWAY - FLORENCE KY 41042 - U.S.A.
Class	308L S
Diameters	1.2-1.4-1.6 mm
Welding positions	all positions including vertical in downward direction
Type of current	direct current reverse polarity

Genoa March 2, 2012

